

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"2002141367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:08
L3	2	"20020141367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 15:08
L6	4	("4097697" "4799790" "4823360" "5418789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 15:31
L7	28	("5896391").URPN.	USPAT	OR	ON	2007/03/26 15:31
L9	326950	kim.in. "re-spread"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:01
L10	9	kim.in. and "re-spread"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:02
L11	4610	kim.in. and "spread"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:02
L12	0	kim.in. and "spread" and spread adj spectrum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:02

EAST Search History

L13	364	kim.in. and "spread" and (spread adj spectrum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:02
L14	4	kim.in. and "spread" and (spread adj spectrum) and mimo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:03
L15	156	kim.in. and (spread adj spectrum) and delay	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:03
L16	39	kim.in. and (spread adj spectrum) and delay and adder	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:03
L17	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:26
L26	1	((sweeping or sampling) with (time or interval)) with (voltage with phase) with (error adj rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:45
L27	0	((sweeping or sampling) with (time or interval)) with (voltage with phase) with (error adj rate) with (cycle adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:45

EAST Search History

L28	25	((sweeping or sampling) and (time or interval)) and (voltage with phase) and (error adj rate) and (cycle adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:45
L29	0	((sweeping or sampling) and (time or interval)) and (voltage with phase) and (error adj rate) and (cycle adj period)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:45
L30	34	regeneration and (eye same (diagram or pattern)) and (adjacent with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L31	0	(clock with extract\$5) with (phase with comparat\$5) with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L32	0	regeneration and (eye same (diagram or pattern)) and (adjacent with poin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L33	1	(regeneration with control) same threshold same (clock with phase with setting) same decision same (eye with (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L34	2	(clock with extract\$5) with (phase with comparat\$5) with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L35	1	(regeneration same control) and threshold and (clock same phase) and (decision with hold) and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L36	307	(clock with extract\$5) and (phase with comparat\$5) and (frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L37	1	(regeneration with control) and threshold and (clock with phase with setting) and decision and (eye with (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L38	2	"5774023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L39	2	"4516083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L40	0	((frequency adj divid\$3) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L41	5739	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) wit dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L42	751	331/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L43	307	(clock with extract\$5) and (phase with comparat\$5) and (frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L44	1	L43 and L42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L45	5	("5696792" "5920271" "5983082").PN. OR ("6040738"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L46	8	regeneration and (eye same (diagram or pattern)) same (adjacent with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L47	13	("4595992").PN. OR ("5384552"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L48	22	adaptive near5 (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L49	7	("4114710" "4164758" "4357943" "4663844" "5394107" "5506531" "5635875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L50	3	clock with extraction with transmission with rate with phase with synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L51	3	clock with extraction with transmission with rate with phase with synchroniz\$5 and regeneration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L52	2	clock same extracti\$3 with (transmi\$5 with rate) same (phase with synchroniz\$5) and regeneration and eye	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L53	24	clock and extracti\$3 and (transmi\$5 same rate) and (phase same synchroniz\$5) and regeneration and (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L54	0	regeneration with (eye same (diagram or pattern)) and (optimal adj poin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L55	2209	phase with comparat\$5 with (frequency adj divided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L56	942	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L57	46	regeneration with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L58	101	(adaptiv\$3 or (dynamically near (set or setting))) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L59	2	((adaptive or dinamically) near2 frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L60	13	clock with extraction with transmission with rate with phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L61	2	clock same extracti\$3 same (transmi\$5 same rate) same (phase same synchroniz\$5) same regeneration same eye	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L62	4	regeneration with control with (eye same (diagram or pättern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L63	0	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) with dinamicallj)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L64	0	(PLL or (phase adj locked adj loop)) and ((frequency adj divid\$3) with (set or setting) with dinamicallj)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L65	75	clock with extraction with transmission with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L66	91	(adaptive or (dynamically near (set or setting))) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L67	182	(adaptive or dynamical\$2) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L68	363	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L69	0	L65 and L68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L70	0	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with (clock with extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L71	31	optimal with point with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L72	4	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with average	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L73	3	regeneration with threshold with clock with phase with decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L74	13057	(PLL or (phase adj locked adj loop)) and (frequency adj divider)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L75	2083	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L76	8	(clock with extract\$5) same (phase with comparat\$5) same (frequency adj divided) same (vco or (voltage adj control\$3)) same (PLL or (phase adj locked)) same (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L77	17	(clock with extract\$5) and (phase with comparat\$5) and (setting with frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L78	87	(adaptive or dynamical\$2) with (frequency adj divided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L79	99	(adaptive or dynamical\$2) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L80	49	adaptive near10 (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L81	4	(regeneration same control) and threshold and (clock same phase same setting) and decision and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L82	23	(regeneration same control) and threshold and (clock same phase) and decision and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L83	8	(regeneration same control) and threshold and (clock same phase) and (decision and hold\$4) and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L84	5	o/e with filter\$4 with equaliz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L85	4	phase with compar\$5 with "or-exclusive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L86	7	phase with compar\$5 with "exclusive-or" with rising	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L87	3	"11170392"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L88	10	phase with compar\$5 with "exclusive-or" with duty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L89	5	power with off with pll with frequency with dividing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L90	2	"4625180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L91	4557	375/376	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L92	35	L43 and L91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L93	3987	375/354	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L94	14	L43 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L95	1376	375/362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L96	10	L43 and L95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L97	3118	375/371	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L98	22	L43 and L97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L99	1868	375/373	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L100	11	L43 and L99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L101	4091	331/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L102	24	L43 and L101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L103	1182	331/34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L104	3	L43 and L103	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L105	2050	455/260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L106	3	L43 and L105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L107	0	phase with compar\$5 with "or-exclusive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L108	0	phase with compar\$5 with exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L109	343	phase with compar\$5 with "exclusive-or"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L110	7	(regeneration same control) and threshold and (clock same phase) and (decision and hold\$4) and (eye same (pattern or diagram)) and exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L111	191	375/215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L112	0	L43 and L111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L113	326	375/214	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L114	525	331/12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L115	260	455/180.3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L116	0	L43 and L115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L117	75	388/911	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L118	0	L43 and L117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L119	1	("4595992").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L120	1	L43 and L113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L121	1	"09/997655"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L122	1	regeneration with (eye same (diagram or pattern)) and (optimal adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L123	1	(regeneration with control) with threshold with (clock with phase with setting) with decision with (eye with (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L124	1	"09/111772"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L125	1	L43 and L114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L126	5	("5696792" "5920271" "5983082").PN. OR ("6040738").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L127	5	regeneration and (eye same (diagram or pattern)) and (adjacent with point with (match or equal or "same"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L128	10	((adaptive or dinamically) near12 frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L129	3	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L130	6	(PLL or (phase adj locked adj loop)) and ((frequency adj divid\$3) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L131	11	((frequency adj divid\$3) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L132	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L133	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/26 17:54
L134	26	(adaptiv\$3 or (dynamically near (set or setting))) with (frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

EAST Search History

L135	2	(adaptive adj frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54
L136	19	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with adaptive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/26 17:54

drjatorres@gmail.com | [Search History](#) | [My Account](#) | [Sign out](#)
[Google](#)
[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

sweeping interval voltage phase "error rate" "c

[Advanced Search](#)
[Preferences](#)
Web Results 1 - 10 of about 29 for **sweeping interval voltage phase "error rate" "cycle period"**. (0.40 secor

[PDF] [Jitter Analysis: A Brief Guide to Jitter](#)

File Format: PDF/Adobe Acrobat

With time, **voltage**, and **phase** information intact, real-time instrumentation can ... If the signal has 0.1UI of peak jitter (10% of one unit **interval**), the ...

www.tek.com/M Measurement/App_Notes/61_18897/eng/61W_18897_1.pdf - [Similar pages](#)

[PDF] [Chapter 9 9 Mixed-Signal Testing and DfT](#)

File Format: PDF/Adobe Acrobat

of four or five discrete frequencies replaced a linear **sweep** of all in-band ... of random periods (time **interval** analyzers), or by **phase**-locking to the ...

www.springerlink.com/index/t462233241870711.pdf - [Similar pages](#)

[PDF] [Chapter #2 MEASUREMENT HARDWARE](#)

File Format: PDF/Adobe Acrobat

Fourth, since the trigger event starts the **sweep**, we cannot observe what ... This is usually possible once within a device **cycle period**, e.g. ...

www.springerlink.com/index/r8003643h360h2h5.pdf - [Similar pages](#)

[PDF] [Design of CMOS Adaptive-Supply Serial Links](#)

File Format: PDF/Adobe Acrobat

such as an efficient adaptive power-supply regulator, a low-**voltage** ... Figure 4.14 shows the transient during frequency **sweeping** and **phase** lock. ...

www-vlsi.stanford.edu/papers/jk_thesis.pdf - [Similar pages](#)

[PDF] [STEADY-STATE OSCILLATIONS NONLINEAR SYSTEMS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

where T_{ois} is the limit **cycle period**. This follows from the requirement for a. loop **phase** shift of -360° in order to sustain an oscillation and the fact that ...

ocw.mit.edu/.../16-30Spring2004/72B675BA-5D1F-47A3-8F13-12FA31A213B9/0/gelb_ch3_ocr.pdf - [Similar pages](#)

[PDF] [Chronological Program: Sessions, Papers & Abstracts](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

neural synchronization stability in single **sweep** sequences of late auditory evoked potentials is. evaluated by the wavelet **phase** coherence in the ...

www.dartmouth.edu/~ne2005/Chronological%20Program%20NER%2005.pd - [Similar pages](#)

[Digital input/output system and method - Patent 4162536](#)

Note that such expansion may either be in the form of more command memories (up to 20) or faster **sweep** times (5 milliseconds). The ten millisecond **interval** ...

www.freepatentsonline.com/4162536.html - 319k - [Cached](#) - [Similar pages](#)

[PDF] [Libra 5800.book](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Bit **error rate** after forward error correction, multiplied by 10 ... Perform preventive maintenance at a regular **interval**, for example every six months. See ...

www.eionwireless.com/library/manual/EION_Libra_5800_Manual_Rev_1.pdf - [Similar pages](#)

[PDF] [LeCroy 2005 - 2006 Catalog - Oscilloscopes, Protocol Analyzers ...](#)

File Format: PDF/Adobe Acrobat

oscilloscopes, Timing **Interval** Analyzers (TIAs), and bit **error rate** test sets in ... LeCroy's Digital Filter Package (DFP2) implements a set of linear-**phase** ...

www.lecroy.com/tm/Library/Catalog/LeCroy_2005_2006_Catalog.pdf - [Similar pages](#)

[PDF] [Production Application Programming Interface \(PAPI\) Reference Manual](#)

File Format: PDF/Adobe Acrobat

dVdRatio. De-emphasis **voltage** ratio. dOpnEyeT. Eye opening at Bit **Error rate** 10e-12.

dMedEyeT. Median to max jitter based on 1 million samples ...

www.wavecrest.com/manuals/PAPI/2002124A.pdf - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [Next](#)

Download [Google Pack](#): free essential software for your PC

sweeping interval voltage phase "err"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

SCIRUS		Search	Pop-up Blocker OFF	Highlight

About Us	Newsroom	Advisory Board	Submit Web Site	Help	Contact Us
----------	----------	----------------	-----------------	------	------------

Basic Search

[Advanced Search](#) [Search Preferences](#)

sweeping AND interval AND voltage AND phase AND "error rate" AND "cycle period"

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Sorry, your query - sweeping AND interval AND voltage AND phase AND "error rate" AND "cycle period" has not produced any result

Did you mean: sweeping internal voltage phase "error rate" "cycle period"

Before searching again, using the same or similar keywords, you may helpful to:

- check the selected sources, information types and subject areas, the selection may not contain results matching your query
- check the spelling of all words
- spell words in a different way, for example using American spelling
- write abbreviations and acronyms in full
- use alternative words that have the same meaning
- search using fewer or more general words

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((sweeping interval<in>metadata) <and> (error rate<in>metadata))) <and> (pyr >"

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((sweeping interval<in>metadata) <and> (error rate<in>metadata))) <and> (pyr >

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((sweeping<in>metadata) <and> (error rate<in>metadata))"

☐ e-mail

Your search matched 11 of 1527266 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Combined effects of phase sweeping transmitter diversity and channel c**
 Hiroike, A.; Adachi, F.; Nakajima, N.;
[Vehicular Technology, IEEE Transactions on](#)
 Volume 41, Issue 2, May 1992 Page(s):170 - 176
 Digital Object Identifier 10.1109/25.142775
[AbstractPlus](#) | [Full Text: PDF\(568 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **Interference mitigation in spread spectrum communication systems usin**
distributions
 Amin, M.G.;
[Signal Processing, IEEE Transactions on \[see also Acoustics, Speech, and Sig](#)
[IEEE Transactions on\]](#)
 Volume 45, Issue 1, Jan. 1997 Page(s):90 - 101
 Digital Object Identifier 10.1109/78.552208
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(440 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **A new group demodulator for mobile communication systems**
 Kumagai, T.; Kobayashi, K.;
[Vehicular Technology, IEEE Transactions on](#)
 Volume 49, Issue 1, Jan. 2000 Page(s):181 - 192
 Digital Object Identifier 10.1109/25.820710
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(300 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Measurement and system impact of multipath interference from dispersic**
fiber modules
 Wenxin Zheng; Sardesai, H.P.; Taylor, M.G.; Craig, D.L.; Fowlkes, J.; Simpsor
[Instrumentation and Measurement, IEEE Transactions on](#)
 Volume 53, Issue 1, Feb. 2004 Page(s):15 - 23
 Digital Object Identifier 10.1109/TIM.2003.822191
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(376 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 5. **Space-time coding combined with phase sweeping transmit diversity**
 Kunnari, E.;
[Global Telecommunications Conference, 2002. GLOBECOM '02. IEEE](#)

Volume 2, 17-21 Nov. 2002 Page(s):1920 - 1924 vol.2
Digital Object Identifier 10.1109/GLOCOM.2002.1188534

[AbstractPlus](#) | Full Text: [PDF](#)(411 KB) IEEE CNF
[Rights and Permissions](#)

6. **Transform domain communications and interference avoidance using wa decomposition**
Lee, M.J.; Temple, M.A.; Claypoole, R.L., Jr.; Raines, R.A.;
[Wireless Communications and Networking Conference, 2002. WCNC2002. 20.](#)
Volume 1, 17-21 March 2002 Page(s):255 - 259 vol.1
Digital Object Identifier 10.1109/WCNC.2002.993502
[AbstractPlus](#) | Full Text: [PDF](#)(240 KB) IEEE CNF
[Rights and Permissions](#)
7. **The performance of DECT under multipath channel conditions**
Kenyon, D.A.; Williams, J.E.B.; Foster, H.M.; Stefanov, J.; Strelouhov, H.;
[High Bit Rate UHF/SHF Channel Sounders - Technology and Measurement, IE](#)
3 Dec 1993 Page(s):6/1 - 6/6
[AbstractPlus](#) | Full Text: [PDF](#)(272 KB) IET CNF
8. **Weakly versus strongly multihop space-division optical networks**
Bononi, A.;
[Lightwave Technology, Journal of](#)
Volume 16, Issue 4, April 1998 Page(s):490 - 500
Digital Object Identifier 10.1109/50.664054
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(424 KB) IEEE JNL
[Rights and Permissions](#)
9. **CW interference excision in a DS/SS communication system using specti spreading/despreading functions**
Comley, V.E.;
[Military Communications Conference, 1998. MILCOM 98. Proceedings., IEEE](#)
Volume 2, 18-21 Oct. 1998 Page(s):499 - 503 vol.2
Digital Object Identifier 10.1109/MILCOM.1998.722178
[AbstractPlus](#) | Full Text: [PDF](#)(448 KB) IEEE CNF
[Rights and Permissions](#)
10. **Multichannel MSM-HEMT receiver OEICs for WDM networks**
Hong, W.-P.; Chang, G.K.; Bhat, R.; Hayes, J.R.;
[Indium Phosphide and Related Materials, 1993. Conference Proceedings., Fift](#)
[Conference on](#)
19-22 April 1993 Page(s):275 - 278
Digital Object Identifier 10.1109/ICIPRM.1993.380657
[AbstractPlus](#) | Full Text: [PDF](#)(204 KB) IEEE CNF
[Rights and Permissions](#)
11. **A unique, robust low-rate HF radio modem**
Scholz, J.; Giles, T.; Gill, M.;
[Military Communications Conference, 1993. MILCOM '93. Conference record.](#)
[on the Move', IEEE](#)
Volume 1, 11-14 Oct. 1993 Page(s):333 - 337 vol.1
Digital Object Identifier 10.1109/MILCOM.1993.408495
[AbstractPlus](#) | Full Text: [PDF](#)(284 KB) IEEE CNF
[Rights and Permissions](#)

Indexed by



© Copyright 2006 IEEE –

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((sweeping<in>metadata) <and> (error rate<in>metadata))<and> (cycle p..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

((sweeping<in>metadata) <and> (error rate<in>metadata))<and> (cycle period<i

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

PALM Intranet

Application
Number

IDS Flag Clearance for Application 09997655

IDS
Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2001-11-29	9	Y <input checked="" type="checkbox"/>	2004-06-07 11:28:34.0	pdeloatch
<input type="button" value="Update"/>					

Day : Monday
Date: 3/26/2007

Time: 12:25:21



PALM INTRANET

Continuity Information for 09/997655

Parent Data

No Parent Data

Child Data

No Child Data

Appln Info

Contents

Petition Info

Atty/Agent Info

Continuity/Reexam

Foreign Data

Search Another: Application#

Search

or Patent#

Search

PCT /

Search

or PG PUBS #

Search

Attorney Docket #

Search

Bar Code #

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 3/26/2007

Time: 12:25:29



PALM INTRANET

Foreign Information for 09/997655

Priority#	Date	Country
2001-204163	07/05/2001	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign Data](#) ☐

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 3/26/2007

Time: 12:25:33

 PALM INTRANET

Inventor Information for 09/997655

Inventor Name	City	State/Country
KWASAKI, WATARU	KANAGAWA	JAPAN
ITO, SUNAO	KANAGAWA	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign I](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 3/26/2007

Time: 12:25:50

 **PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = ITO

First Name = SUNAO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09997655	Not Issued	71	11/29/2001	Transmission device	ITO, SUNAO
08528321	5646763	150	09/14/1995	OPTICAL TRANSMITTER AND LASER DIODE MODULE FOR USE IN THE OPTICAL TRANSMITTER	ITOU, SUNAO
09750242	6469823	150	12/29/2000	OPTICAL WAVELENGTH CONVERTER AND OPTICAL WAVELENGTH DIVISION MULTIPLEXING COMMUNICATION SYSTEM USING THE SAME	ITOU, SUNAO

Inventor Search Completed: No Records to Display.

Search Another: Inventor **Last Name** **First Name**
ITO SUNAO

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 3/26/2007

Time: 12:26:00

 **PALM INTRANET**

Correspondence Address for 09/997655

Customer Number	Contact Information	Address
No Customer # Delivery Mode: <u>PAPER</u>	Telephone: No Telephone # Fax: No Fax # E-Mail: No E-Mail Address	ROSEMAN & COLIN LLP LINDA S. CHAN 575 MADISON AVENUE IP DEPARTMENT 15TH FL. NEWYORK NY 10022-2585

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign C](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)